




**SCHOLAR™**

**LP8343LABA**  
**60" Ceiling Fan**  
**Lowes Item #747660**



	A	B
Fan w/4.5" downrod	21.71"	13.24"
Fan w/12" downrod	29.21"	20.74"
Fan w/18" downrod	35.21"	26.74"
Fan w/24" downrod	41.21"	32.74"
Fan w/36" downrod	53.21"	44.74"
Fan w/48" downrod	65.21"	56.74"
Fan w/60" downrod	77.21"	68.74"
Fan w/72" downrod	89.21"	80.74"

**INSTALLATION REQUIREMENTS:**

Fan must be attached to a securely anchored electrical junction box capable of withstanding a load of at least 35 lbs.

**ELECTRICAL REQUIREMENTS:**

Requires a grounded electrical supply line of 120 volts AC, 60 Hz, 15 amp circuit.

**MOTOR SPECS:**

188 x 25 AC motor is designed for optimal performance with this fan.

**BLADES:**

A set of five 25" reversible plywood blades is included.

**CONTROL OPTIONS:**

Three fan speeds pull chain control and on/off light pull chain control included. The reverse switch is located on the switch housing. Optional CW1SW, CW2, CWRL4 and CW60WH wall controls and BTCR9, CRL8TS, C4 and CRL4WH hand-held remote controls with receiver unit and BTR9 receiver unit are available—sold separately. Instructions are provided with each control.

**LIGHTING OPTIONS:**

Four 40-watt candelabra vintage bulbs included.

**DOWNROD OPTIONS:**

Fan comes with a 1" Dia. x 4.5" downrod (DRT1-45). Optional downrods are available in 12", 18", 24", 36", 48", 60" and 72". For installations requiring a longer downrod, a downrod coupler is available. Fan can be mounted on a sloped ceiling up to 19°. Optional close-to-ceiling kit is available as well—sold separately. Optional sloped ceiling kits (SCK1-52) are available for up to 42°. Call technical support for more information.

**LOCATION USE:**

Fan is rated for dry location only.

**Available Finishes**

ABA	Antique Bronze Accent with Cherry / Dark Walnut Blade and Clear Glass
-----	---

**Airflow / Energy Efficiency Info (120V)**

Fan Speed	Max RPM	CFM	CFM / Watts	Amps	Watts
High	145	6603	93	0.60	71
Med	105	4426	113	0.44	39
Low	55	2451	173	0.27	14

**Energy Guide FTC**

Power (W <sub>ave</sub> )	Total Air Delivery (CFM <sub>ave</sub> )	Estimated Yearly Energy Cost (\$)	Ceiling Fan Efficiency (CFM/W)
44	4345	12	98

**Light Bulb Information (120V)**

Bulb Type	Watts	QTY	Lumens Amount	Color Temp	CRI
candelabra vintage	40	4	1400	2074	100%