




FANIMATION
studio collection

VINTERE™

LP8350LAZ 20" Ceiling Fan



	A	B
Fan w/4.5" downrod	12.80"	10.44"
Fan w/12" downrod	20.30"	17.94"
Fan w/18" downrod	26.30"	23.94"
Fan w/24" downrod	32.30"	29.94"
Fan w/36" downrod	44.30"	41.94"
Fan w/48" downrod	56.30"	53.94"
Fan w/60" downrod	68.30"	65.94"
Fan w/72" downrod	80.30"	77.94"

Available Finishes

AZ	Aged Bronze with Aged Bronze Cage
----	-----------------------------------

INSTALLATION REQUIREMENTS:

Fan must be attached to a securely anchored electrical junction box capable of withstanding a load of at least 35 lbs.

ELECTRICAL REQUIREMENTS:

Requires a grounded electrical supply line of 120 volts AC, 60 Hz, 15 amp circuit.

MOTOR SPECS:

82 x 20 AC motor is designed for optimal performance with this fan.

CONTROL OPTIONS:

TR400S hand-held remote control is included. Push button remote control has 3 fan speeds, infinite light levels, fan/light timer and off button. The reverse switch is located on the top housing. Optional CW1SW, CW2, CWRL4 and CW60WH wall controls and BTCR9, C4, CRL8TS and CRL4WH hand-held remote controls with receiver unit and BTR9 receiver unit are available—sold separately. Instructions are provided with each control.

LIGHTING OPTIONS:

Four 40-watt candelabra vintage bulbs included.

DOWNROD OPTIONS:

Fan comes with a 1" Dia. x 4.5" downrod (DRT1-45). Optional downrods are available in 12", 18", 24", 36", 48", 60" and 72". For installations requiring a longer downrod, a downrod coupler is available. Fan can be mounted on a sloped ceiling up to 19°. Optional close-to-ceiling kit is available as well—sold separately. Optional sloped ceiling kits (SCK1-52) are available for up to 42°. Call technical support for more information.

LOCATION USE:

Fan is rated for dry and damp locations.

Airflow / Energy Efficiency Info (120V)

Fan Speed	Max RPM	CFM	CFM / Watts	Amps	Watts
High	1425	1360	38	0.30	36
Med	1020	993	44	0.26	23
Low	561	541	48	0.18	11

Energy Guide FTC

Power (W _{ave})	Total Air Delivery (CFM _{ave})	Estimated Yearly Energy Cost (\$)	Ceiling Fan Efficiency (CFM/W)
27	1190	8	43

Light Bulb Information (120V)

Bulb Type	Watts	QTY	Lumens Amount	Color Temp	CRI
candelabra vintage	40	4	544	2100	100%